| | CLASSIFICATION SECRET CENTRAL INTELLIGENCE AGENCY | REPORT NO. |
|-----------|--|---|
| | INFORMATION REPORT | CD NO. |
| | рвия желение помени помет | |
| COUNTRY | Germany (Russian Zone) | DATE DISTR. 5 June 1992 |
| SUBJECT | Construction Projects of the DIR Railroads | NO. OF PAGES 3 (1A |
| | · · · · · · · · · · · · · · · · · · · | NO. OF ENCLS 4 annexes 25X1A |
| | | SUPPLEMENT TO REPORT NO. |
| | | |
| 1. | | 25517 |
| | | |
| | | |
| 2. | , | |
| 2. | The construction of a connecting curve near Buch, poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. Work on the been started. (2) | estment plan. The completion |
| 2. 3. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. Tork on the | estment plan. The completion a staking out of the curve has a marshaling yard was restricted al and departure lines and the so that most of the tracks at are a critical item in the Soviet |
| | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have a fermany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned | estment plan. The completion a staking out of the curve has a marshaling yard was restricted ral and departure lines and the so that most of the tracks at are a critical item in the Soviet struction work at the yard would 50 |
| 3. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have a project in the foresceable future. (3) In early March 1952, source learned that the Designs Eureau of the Derlin regional rales 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of the project in the southern section of the project in the project trait that the rail link between the southern section of the project in the p | estment plan. The completion a staking out of the curve has a marshaling yard was restricted and and departure lines and the so that most of the tracks at are a critical item in the Soviet struction work at the yard would struction work at the yard would fill the Treuenbrietzen-Delzig railins. (4) Source also learned of the Derlin Outer Freight Ring |
| 3. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches cone of Germany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Bureau of the Derlin regional rates 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trains. | estment plan. The completion a staking out of the curve has a marshaling yard was restricted and and departure lines and the so that most of the tracks at are a critical item in the Soviet struction work at the yard would struction work at the yard would fill the Treuenbrietzen-Delzig railins. (4) Source also learned of the Derlin Outer Freight Ring |
| 3. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches cone of Bernany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Eureau of the Derlin regional rales 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of and the line to Dresden was scheduled to be built | estment plan. The completion a staking out of the curve has a marshaling yard was restricted and and departure lines and the so that most of the tracks at are a critical item in the Soviet struction work at the yard would struction work at the yard would fill the Treuenbrietzen-Delzig railins. (4) Source also learned of the Derlin Outer Freight Ring |
| 3. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches cone of Bernany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Eureau of the Derlin regional rales 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of and the line to Dresden was scheduled to be built | estment plan. The completion is staking out of the curve has a staking out of the curve has a marshaling yard was restricted all and departure lines and the se that most of the tracks at are a critical item in the Soviet struction work at the yard would struct a struction of the Borlin Outer Freight Ring to south of Gross Deeren and not 25) are swalder railroad line, which in project scheduled to cost 80 meral Erwin Kremer departed |
| 3. 4. | poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The projected construction of the Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have not between the foresceable future. (3) In early March 1952, source learned that the Designs Bureau of the Berlin regional ralest, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section cand the line to Dresden was scheduled to be built near Tahlow. (5) | estment plan. The completion is staking out of the curve has a staking out of the curve has a marshaling yard was restricted all and departure lines and the se that most of the tracks at are a critical item in the Soviet struction work at the yard would struct a struction of the Borlin Outer Freight Ring to south of Gross Deeren and not 25) are swalder railroad line, which in project scheduled to cost 80 meral Erwin Kremer departed |

25X1

25X1

| 7. | Construction projects previously not contained in the 1952 | investment |
|----|--|------------|
| | plan of the Berlin regional railroad headquarters include: | |
| | | · . |

2

- a. Construction of a connecting curve in Drandenburg; estimated cost:
 7.5 million eastmarks. (7)
- b. Construction of a connecting curve in Gross Beeren; estimated cost: 5 million eastmarks. (5)
- c. Improvement of the Tremenbrietzen-Jactorbog railroad line; estimated cost: 10 million eastmarks. (h)
- d. Construction of a second track on the Bross Deeren-Jueterbog line; estimated cost: 6 million eastmarks.
- e. Construction of a second track on the Seddin-Delzig line; estimated cost: l. million castmarks. (8)

| Source learned | | that work | 25X1 |
|-----------------|--|-----------|------|
| | racking of the Ruhland-Falkenberg railroad lin | e would | |
| be started on 1 | April 1952. (9) | | |

| 9. [| a chart showing the organizational set-up of the Main Administration "Railroad Installations" and dated 1 February 1952 10) | 25X1 |
|------|---|------------------|
| 10. | | 25X ² |

25X1

25X1A

ACCURITY LIPONIATION 3 25X1A Comments. (1) This project was originally classified as a first priority project. Its 25X1A postponement is reported for the first time. The reasons for this measure, 25X1A if it is true, are unknown. (2) This project, which had been postponed, is now to be executed. A sketch of the connecting curve was transmitted previously. (3) Information on the reconstruction and capacity of the Seddin marshaling yard was transmitted previously. See 25X1A (h) The railroad facilities for the dieterbog troop training grounds would be aided by an improvement of this line. (5) The construction of this connecting curve would improve the connections to the southern section of the Berlin Outer Proight Ming. For plan of the connecting line, sec Annex l. (6) Liltencorf is the receiving station for the Foundry Combine Hast in Puerstenberg/ Oder. Sec Annex 2. (7) The planned construction of a correcting curve near Brandenburg was reported previously. See 25X1A (8) This construction project was reported previously. (9) This information is received for the first time. The improvement of the Suhland-Falkenberg railroad line may be the first step for the creation of a new east-west route leading from Horka-Johrbirch via Fuhland and Falkenberg toward Magdeburg or Leipzig and Trfurt. (10) For organizational chart, see Annex 3. The upper section of the 25X1 shows the intended reorganization within the Directorate 25X1 Beneral, Bailroads, Berlin, while the lower section shows the corresponding organizational set-up at the regional railroad headquarters. A similar organisational plan was transmitted previously. 25X1 (11) For the construction of the whilede marshaling yard was transmitted previously. 25X1A

(12) These letters underline the previously known difficulties of supplies of switches.

to Teltow Großbeeren to Michendon Genshagener Heide Ludwigsfelde

- double track

- single track

- planned track

25X1

SECRET SECONDARY THEORETEC.

not to scale